

PHOTOCELL/TIME CLOCKS 12

NOT TO SCALE E-400









TIME CLOCKS 11

NOT TO SCALE E-400



FREEZER LTG & DOOR HTR WIRING DIAGRAM 10

NOT TO SCALE E-400



FREEZER EVAPORATOR COIL 9

NOT TO SCALE E-400



COOLER EVAPORATOR COIL 8

NOT TO SCALE E-400



CONDENSING UNIT 7

NOT TO SCALE E-400

1. WIRING SHOULD BE DONE ACCORDING WITH NATIONAL AND LOCAL CODE.

2. CHECK VOLTAGE ON CONDENSING UNIT AND EVAPORATOR COIL BEFORE ANY WORK IS DONE.

3. SOLID LINES TO BE WIRED BY LICENSED ELECTRICIAN ON SITE. DOTTED LINES ARE MANUFACTURE PRE-WIRED.

4. ANY PENETRATIONS THROUGH BOX SHALL BE SEALED AIR TIGHT.

WIC / WIF WIRING DIAGRAM NOTES 6

NOT TO SCALE E-400



EXHAUST FAN CONTROL DIAGRAM 5

NOT TO SCALE E-400



LIGHT FIXTURE DETAIL 4

NOT TO SCALE E-400



ALL OUTLETS TO MOUNT VERTICALLY WITH GROUND PLUG @ LOW POSITION, TYP. U.N.O.

1. IF SHOW WINDOW OUTLETS AT WHITE GYP. BD SOFFIT WHITE DEVICES WITH WHITE COVERPLATES . (IF APPLICABLE)

2. IF SHOW WINDOW OUTLETS AT DARK T-BAR CEILING, BLACK DEVICES WITH BLACK COVERPLATES .

ALL DINING ROOM: VERIFY COLOR OF OUTLET/COVERPLATE WITH PANDA PM PRIOR TO INSTALL

ALL OTHER OUTLETS IN KITCHEN, SERVICE AREA, AND RESTROOMS TO BE GREY DEVICES WITH STAINLESS STEEL COVERPLATES.

RECEPT. DIAGRAM 3

NOT TO SCALE E-400



ANSUL PULL STATION DETAIL 2

NOT TO SCALE E-400



'MDP' GROUNDING DETAIL 1

NOT TO SCALE E-400

PANDA EXPRESS, INC.
1683 Walnut Grove Ave.
Rosemead, California
91770
Telephone: 626.799.9898
Facsimile: 626.372.8288

All ideas, designs, arrangement and plans indicated or represented by this drawing are the property of Panda Express Inc. and were created for use on this specific project. None of these ideas, designs, arrangements or plans may be used by or disclosed to any person, firm, or corporation without the written permission of Panda Express Inc.

REVISIONS:

ISSUE DATE:

1st	DEVELOPER REVIEW	07.15.19
2nd	SITE PLAN SUBMITTAL	08.26.19
3rd	SITE COMMENTS	09.05.19
4th	ISSUE FOR PERMIT	10.01.19
5th	ISSUE FOR BID	11.07.19

DRAWN BY: PM / KL / EA

PANDA PROJECT #: S8-20-D7163

ARCH PROJECT #: 19027

James F. Turner Engineers, L.P.
Consulting Engineers
8340 Meadow Road, #160
Dallas, TX 75231
214.750.2900
DRAWN/DESGN: JBJ
QC/APPD: TNM
Job #: 4Z736
CoA #CA-5874-E

ALABAMA REGISTERED No. 14970 PROFESSIONAL ENGINEER JAMES F. TURNER
11/2/19

Heights Venture
ARCHITECTURE DESIGN

HOUSTON
1111 North Loop West, Suite 800
Houston, Texas 77008
713 869 1103 V

DALLAS
5741 Legacy Drive, Suite 320
Plano, Texas. 75024
972 490 7292 V

PANDA EXPRESS

2096 INTERSTATE DR.
OPELIKA, AL, 36801

3600 FSDT

TWW REMODEL

E-400

HOT - MEDIUM
ELECTRICAL DETAILS, DIAGRAMS

BID ISSUE

TRUE WARM & WELCOME